



ALS Denmark A/S
Bakkegårdsvej 406 A
DK-3050 Humlebæk
Telefon: +45 4925 0770
www.alsglobal.dk

ANALYSERAPPORT

Ølsted Strand Vandværk
Frederikssundsvej 167
3310 Ølsted
Att.: Henriette Høeg, PersonRef. Henriette Høeg

Udskrevet: 17-11-2022
Version: 1
Modtaget: 26-10-2022
Analyseperiode: 26-10-2022 -
17-11-2022
Ordrenr.: 748410

Sagsnavn Ølsted Strand Vandværk
Lokalitet: Ølsted Strand Vandværk
Prøvested: DGU 192.837-1
Udtaget: 26.10.2022 kl. 09:35:00
Prøvetype: Råvand - Bek. 2361:2021, Gruppe B, Boringskontrol
Prøvetager: Lab/JNF
Kunde: Ølsted Strand Vandværk, Frederikssundsvej 167, 3310 Ølsted, Att. Henriette Høeg, PersonRef. Henriette Høeg

| Prøvenr.: | 244458/22 | | |
|--|-----------|-------|--|
| Parameter | Resultat | Enhed | Metode |
| Partikler i prøve efter konservering # | Nej | - | - |
| FELTMÅLINGER: | | | |
| Prøvetagning, Boring | + | - | DS/ISO 5667-11:2009 |
| pH ved prøvetagning | 8.0 | pH | DS/EN ISO 10523:2012 |
| Temperatur ved prøvetagning | 10.0 | °C | - |
| Ledningsevne v. ptagning | 52 | mS/m | DS/EN 27888:2003 |
| Iltindhold v. ptagning | 3.39 | mg/l | DS/EN ISO 5814:2012 |
| Laboratoriets målinger: | | | |
| Mangan, Mn | 0.040 | mg/l | DS/EN ISO 11885:2009 |
| Calcium, Ca++ | 89 | mg/l | DS/EN ISO 11885:2009 |
| Magnesium, Mg++ | 13 | mg/l | DS/EN ISO 11885:2009 |
| Kalium, K+ | 2.6 | mg/l | DS/EN ISO 11885:2009 |
| Natrium, Na+ | 16 | mg/l | DS/EN ISO 11885:2009 |
| Jern, Fe | 2.5 | mg/l | DS/EN ISO 11885:2009 |
| Ammonium+ammoniak, NH4+ | 0.59 | mg/l | DS/ISO 15923-1:2013+DS224:1975Mod |
| Nitrit, NO2- | <0.0010 | mg/l | DS/ISO 15923-1:2013 |
| Nitrat, NO3- | <0.10 | mg/l | DS/ISO 15923-1:2013 + beregning |
| Total phosphor, P | 0.035 | mg/l | DS/EN ISO 6878 Del 7:2004 + DS/EN ISO 15681-2:2018 |
| Chlorid, Cl- | 25 | mg/l | DS/ISO 15923-1:2013 |
| Fluorid, F- | 0.42 | mg/l | DS 218:1975,MOD |
| Sulfat, SO4-- | 16 | mg/l | DS/ISO 15923-1:2013 |
| Hydrogencarbonat, HCO3- | 300 | mg/l | DS/EN ISO 9963-1:1996 |
| Aggressiv kuldioxid, CO2 | <5 | mg/l | DS 236:1977 |
| Hydrogensulfid, H2S | 0.041 | mg/l | DS 278:1976 + beregning |
| Methan, CH4 | 0.32 | mg/l | AK129 - HS GC/FID |
| NVOC | 2.6 | mg/l | DS/EN 1484:1997+SM 5310B:2014 |
| Arsen, As | 0.51 | µg/l | DS/EN ISO 17294-2:2016 |
| Bor, B | 160 | µg/l | DS/EN ISO 11885:2009 |
| Barium, Ba | 36 | µg/l | DS/EN ISO 17294-2:2016 |
| Kobolt, Co | 0.011 | µg/l | DS/EN ISO 17294-2:2016 |
| Nikkel, Ni | 0.079 | µg/l | DS/EN ISO 17294-2:2016 |
| HS BTEXN | | | DS/EN ISO 10301:2000 |
| Benzen | <0.020 | µg/l | DS/EN ISO 10301:2000 |
| Toluen | <0.020 | µg/l | DS/EN ISO 10301:2000 |
| Ethylbenzen | <0.020 | µg/l | DS/EN ISO 10301:2000 |
| Xylener (o-,m- og p-xylen) | <0.040 | µg/l | DS/EN ISO 10301:2000 |
| Naphtalen | <0.020 | µg/l | DS/EN ISO 10301:2000 |
| Kulbrinter i vand | | | AK61 - GC/FID/pentan |
| Kulbrinter n-C6 - n-C10 # | <5.0 | µg/l | AK61 - GC/FID/pentan |

side 1 af 6

Laboratoriet er akkrediteret af DANAK. Analyseresultaterne gælder kun for de(n) analyserede prøve(r).
Analyserapporten må kun gengives i sin helhed, med mindre skriftlig godkendelse foreligger
Oplysninger om målesikkerhed findes på www.alsglobal.dk

Tegnforklaring:
#: Ikke akkrediteret i.p.: Ikke påvist
<: mindre end >: Større end



TEST Reg.nr. 361

ALS Denmark A/S
Bakkegårdsvej 406 A
DK-3050 Humlebæk
Telefon: +45 4925 0770
www.alsglobal.dk

ANALYSERAPPORT

| Prøvenr.: | 244458/22 | | | |
|---|-----------|---------|---------------------------|--|
| Parameter | Resultat | Enhed | Metode | |
| Kulbrinter >n-C10 - n-C15 | # | <5.0 | µg/l AK61 - GC/FID/pentan | |
| Kulbrinter >n-C15 - n-C20 | # | <5.0 | µg/l AK61 - GC/FID/pentan | |
| Kulbrinter >n-C20 - n-C35 | # | <5.0 | µg/l AK61 - GC/FID/pentan | |
| Total kulbrinter (C6-C35) | | <5.0 | µg/l AK61 - GC/FID/pentan | |
| HS Chlorerede opl.midler | | - | DS/EN ISO 10301:2000 | |
| Trichlormethan (Chloroform) | | <0.020 | µg/l DS/EN ISO 10301:2000 | |
| 1,1,1-trichlorethan | | <0.020 | µg/l DS/EN ISO 10301:2000 | |
| Tetrachlormethan | | <0.020 | µg/l DS/EN ISO 10301:2000 | |
| Trichlorethylen | | <0.020 | µg/l DS/EN ISO 10301:2000 | |
| Tetrachlorethylen | | <0.020 | µg/l DS/EN ISO 10301:2000 | |
| 2,6-dichlorphenol | | <0.010 | µg/l AK158 - GC/MS | |
| Pesticider, Drikkevand grundpakke | | - | - - GC/LC/MS | |
| 1,2,4-triazol | | <0.010 | µg/l AK207 - LC/MS/MS | |
| 2,6-DCPP (2-(2,6-dichlorphenoxypropionsyre)), 2,6-dichlorprop | | <0.010 | µg/l AK78 - LC/MS/MS | |
| 2,6-dichlorbenzoesyre | | <0.010 | µg/l AK78 - LC/MS/MS | |
| 4-CPP, (4-Chlorprop) | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Aminomethylphosphonsyre, AMPA | | <0.010 | µg/l AK144 - LC/MS/MS | |
| Atrazin | | <0.010 | µg/l AK78 - LC/MS/MS | |
| 2,6-Dichlorbenzamid (BAM) | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Bentazon | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Desphenyl-chloridazon | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Imazalil | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Methyl-desphenyl-chloridazon | | <0.010 | µg/l AK78 - LC/MS/MS | |
| 4-nitrophenol | | <0.010 | µg/l AK78 - LC/MS/MS | |
| 2,4-dichlorphenol | | <0.010 | µg/l AK158 - GC/MS | |
| Desethylatrazin | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Desethyldeisopropylatrazin (DEIA) | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Desethyl-hydroxy-atrazin | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Desethylterbutylazin | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Desisopropylatrazin | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Desisopropyl-hydroxy-atrazin | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Dichlobenil | | <0.010 | µg/l AK78 - GC/MS | |
| Dichlorprop(2,4-DP) | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Didealkyl-hydroxy-atrazin | | <0.010 | µg/l AK78 - LC/MS/MS | |
| ETU (Ethylenthiourea) | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Glyphosat | | <0.010 | µg/l AK144 - LC/MS/MS | |
| Hexazinon | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Hydroxyatrazin | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Hydroxysimazin | | <0.010 | µg/l AK78 - LC/MS/MS | |
| MCPA | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Mechlorprop(MCPP) | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Metamitron-desamino | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Simazin | | <0.010 | µg/l AK78 - LC/MS/MS | |
| TFMP | | <0.010 | µg/l AK78 - LC/MS/MS | |
| N,N-Dimethylsulfamid (DMS) | | <0.010 | µg/l AK207 - LC/MS/MS | |
| Chlorothalonilamid-sulfonsyre (R417888) | | <0.0050 | µg/l AK78 - LC/MS/MS | |
| Pesticider, DRV BEK 972:2022 | | - | - - LC/MS/MS | |
| Alachlor ESA | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Dimethachlor ESA | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Dimethachlor OA (CGA 50266) | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Metazachlor ESA | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Metazachlor OA | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Propachlor ESA | | <0.010 | µg/l AK78 - LC/MS/MS | |
| t-Sulfinyleddikesyre (Acetochlor SAA) | | <0.010 | µg/l AK78 - LC/MS/MS | |
| CGA 369873 (Dimethachlor metab.) | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Metaldehyd | | <0.010 | µg/l AK78 - LC/MS/MS | |
| [(2,6-Dimethylphenyl)(2-sulfoacetyl)amino]eddikesyre | | <0.010 | µg/l AK78 - LC/MS/MS | |
| Monuron | | <0.010 | µg/l AK78 - LC/MS/MS | |

side 2 af 6

Laboratoriet er akkrediteret af DANAK. Analyseresultaterne gælder kun for de(n) analyserede prøve(r).
Analyserapporten må kun gengives i sin helhed, med mindre skriftlig godkendelse foreligger
Oplysninger om målesikkerhed findes på www.alsglobal.dk

Tegnforklaring:
#: Ikke akkrediteret i.p.: Ikke påvist
<: mindre end >: Større end



ALS Denmark A/S
Bakkegårdsvej 406 A
DK-3050 Humlebæk
Telefon: +45 4925 0770
www.alsglobal.dk

ANALYSERAPPORT

| Prøvenr.: | 244458/22 | | |
|---|-----------|--------|-------------------------------------|
| Parameter | Resultat | Enhed | Metode |
| PFAS-forbindelser, Vandforsyning | | | |
| PFOS, Perfluoroctansulfonsyre | *1 | <0.10 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFBA, Perfluorbutansyre | *1 | <2.0 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFPeA, Perfluorpentansyre | *1 | <1.50 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFHxA, Perfluorhexansyre | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFHpA, Perfluorheptansyre | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFDA, Perfluordecansyre | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFBS, Perfluorbutansulfonsyre | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| 6:2 FTS, 1H,1H,2H,2H-Perfluoroctansulfonsyre | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFOSA, Perfluoroctansulfonamid | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFOA, Perfluoroctansyre | *1 | <0.10 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFNA, Perfluorononansyre | *1 | <0.10 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFHxS, Perfluorhexansulfonsyre | *1 | <0.10 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| Sum af PFOA, PFOS, PFNA, PFHxS | *2 | <0.20 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| Sum af PFAS, 12 stoffer | *2 | <2.8 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| 4-Bis-amido-3,5,6-trichlorobenzenesulfonat (R471811) (Nedbr. af Chlorothalonil) | # | <0.010 | µg/l AK78 - LC/MS/MS |
| 6-(tert-Butylamino)-1,3,5-triazine-2,4-diol (CGA324007, LM5, nedbr. af Terbutylazin) | # | <0.010 | µg/l AK78 - LC/MS/MS |
| 4-(tert-Butylamino)-6-hydroxy-1-methyl-1,3,5-triazin-2(1H)-one (SYN545666, LM6, nedbr. af Terbutylazin) | # | <0.010 | µg/l AK78 - LC/MS/MS |

Kommentar

Ingen kommentar

Underleverandør

- *1 ALS Czech Republic s.r.o, CAI L1163
- *2 # ALS Czech Republic s.r.o, CAI L1163

Sofie Askjær Hass

Kopimodtagere:

Halsnæs Kommune, Rådhuspladsen 1, 3300 Frederiksværk

side 3 af 6

Laboratoriet er akkrediteret af DANAK. Analyseresultaterne gælder kun for de(n) analyserede prøve(r).
Analyserapporten må kun gengives i sin helhed, medmindre skriftlig godkendelse foreligger.
Oplysninger om måleusikkerhed findes på www.alsglobal.dk

Tegnforklaring:
#: Ikke akkrediteret i.p.: Ikke påvist
<: mindre end >: Større end



ALS Denmark A/S
 Bakkegårdsvej 406 A
 DK-3050 Humlebæk
 Telefon: +45 4925 0770
 www.alsglobal.dk

ANALYSERAPPORT

Ølsted Strand Vandværk
 Frederikssundsvej 167
 3310 Ølsted
 Att.: Henriette Høeg, PersonRef. Henriette Høeg

Udskrevet: 17-11-2022
Version: 1
Modtaget: 26-10-2022
Analyseperiode: 26-10-2022 -
 17-11-2022
Ordrenr.: 748410

Sagsnavn Ølsted Strand Vandværk
Lokalitet: Ølsted Strand Vandværk
Prøvested: DGU 192.1381-1
Udtaget: 26.10.2022 kl. 09:15:00
Prøvetype: Råvand - Bek. 2361:2021, Gruppe B, Boringskontrol
Prøvetager: Lab/JNF
Kunde: Ølsted Strand Vandværk, Frederikssundsvej 167, 3310 Ølsted, Att. Henriette Høeg, PersonRef. Henriette Høeg

| Prøvenr.: | | 244459/22 | | | |
|--------------------------------------|---|-----------|-------|--|---|
| Parameter | | Resultat | Enhed | Metode | |
| Partikler i prøve efter konservering | # | Nej | - | - | - |
| FELTMÅLINGER: | | | | | |
| Prøvetagning, Boring | | + | - | DS/ISO 5667-11:2009 | - |
| pH ved prøvetagning | | 7.8 | pH | DS/EN ISO 10523:2012 | - |
| Temperatur ved prøvetagning | | 9.9 | °C | - | - |
| Ledningsevne v. ptagning | | 58 | mS/m | DS/EN 27888:2003 | - |
| Iltindhold v. ptagning | | 0.92 | mg/l | DS/EN ISO 5814:2012 | - |
| Laboratoriets målinger: | | | | | |
| Mangan, Mn | | 0.024 | mg/l | DS/EN ISO 11885:2009 | - |
| Calcium, Ca++ | | 87 | mg/l | DS/EN ISO 11885:2009 | - |
| Magnesium, Mg++ | | 18 | mg/l | DS/EN ISO 11885:2009 | - |
| Kalium, K+ | | 2.7 | mg/l | DS/EN ISO 11885:2009 | - |
| Natrium, Na+ | | 22 | mg/l | DS/EN ISO 11885:2009 | - |
| Jern, Fe | | 1.3 | mg/l | DS/EN ISO 11885:2009 | - |
| Ammonium+ammoniak, NH4+ | | 0.49 | mg/l | DS/ISO 15923-1:2013+DS224:1975Mod | - |
| Nitrit, NO2- | | <0.0010 | mg/l | DS/ISO 15923-1:2013 | - |
| Nitrat, NO3- | | 0.10 | mg/l | DS/ISO 15923-1:2013 + beregning | - |
| Total phosphor, P | | 0.010 | mg/l | DS/EN ISO 6878 Del 7:2004 + DS/EN ISO 15681-2:2018 | - |
| Chlorid, Cl- | | 31 | mg/l | DS/ISO 15923-1:2013 | - |
| Fluorid, F- | | 0.41 | mg/l | DS 218:1975,MOD | - |
| Sulfat, SO4-- | | 43 | mg/l | DS/ISO 15923-1:2013 | - |
| Hydrogencarbonat, HCO3- | | 280 | mg/l | DS/EN ISO 9963-1:1996 | - |
| Aggressiv kuldioxid, CO2 | | <5 | mg/l | DS 236:1977 | - |
| Hydrogensulfid, H2S | | <0.020 | mg/l | DS 278:1976 + beregning | - |
| Methan, CH4 | | 0.035 | mg/l | AK129 - HS GC/FID | - |
| NVOC | | 1.6 | mg/l | DS/EN 1484:1997+SM 5310B:2014 | - |
| Arsen, As | | 0.35 | µg/l | DS/EN ISO 17294-2:2016 | - |
| Bor, B | | 130 | µg/l | DS/EN ISO 11885:2009 | - |
| Barium, Ba | | 21 | µg/l | DS/EN ISO 17294-2:2016 | - |
| Kobolt, Co | | 0.027 | µg/l | DS/EN ISO 17294-2:2016 | - |
| Nikkel, Ni | | 0.56 | µg/l | DS/EN ISO 17294-2:2016 | - |
| HS BTEXN | | | | | |
| Benzen | | <0.020 | µg/l | DS/EN ISO 10301:2000 | - |
| Toluen | | 0.024 | µg/l | DS/EN ISO 10301:2000 | - |
| Ethylbenzen | | <0.020 | µg/l | DS/EN ISO 10301:2000 | - |
| Xylener (o-,m- og p-xylen) | | <0.040 | µg/l | DS/EN ISO 10301:2000 | - |
| Naphtalen | | <0.020 | µg/l | DS/EN ISO 10301:2000 | - |
| Kulbrinter i vand | | | | | |
| Kulbrinter n-C6 - n-C10 | # | <5.0 | µg/l | AK61 - GC/FID/pentan | - |

side 1 af 6

Laboratoriet er akkrediteret af DANAK. Analyseresultaterne gælder kun for de(n) analyserede prøve(r).
 Analyserapporten må kun gengives i sin helhed, med mindre skriftlig godkendelse foreligger
 Oplysninger om målesikkerhed findes på www.alsglobal.dk

Tegnforklaring:
 #: Ikke akkrediteret i.p.: Ikke påvist
 <: mindre end >: Større end



TEST Reg.nr. 361

ALS Denmark A/S
Bakkegårdsvej 406 A
DK-3050 Humlebæk
Telefon: +45 4925 0770
www.alsglobal.dk

ANALYSERAPPORT

| Prøvenr.: | 244459/22 | | | |
|---|-----------|-------|---------------------------|--|
| Parameter | Resultat | Enhed | Metode | |
| Kulbrinter >n-C10 - n-C15 | # | <5.0 | µg/l AK61 - GC/FID/pentan | |
| Kulbrinter >n-C15 - n-C20 | # | <5.0 | µg/l AK61 - GC/FID/pentan | |
| Kulbrinter >n-C20 - n-C35 | # | <5.0 | µg/l AK61 - GC/FID/pentan | |
| Total kulbrinter (C6-C35) | | <5.0 | µg/l AK61 - GC/FID/pentan | |
| HS Chlorerede opl.midler | | - | DS/EN ISO 10301:2000 | |
| Trichlormethan (Chloroform) | <0.020 | µg/l | DS/EN ISO 10301:2000 | |
| 1,1,1-trichlorethan | <0.020 | µg/l | DS/EN ISO 10301:2000 | |
| Tetrachlormethan | <0.020 | µg/l | DS/EN ISO 10301:2000 | |
| Trichlorethylen | <0.020 | µg/l | DS/EN ISO 10301:2000 | |
| Tetrachlorethylen | <0.020 | µg/l | DS/EN ISO 10301:2000 | |
| 2,6-dichlorphenol | <0.010 | µg/l | AK158 - GC/MS | |
| Pesticider, Drikkevand grundpakke | | - | - - GC/LC/MS | |
| 1,2,4-triazol | <0.010 | µg/l | AK207 - LC/MS/MS | |
| 2,6-DCPP (2-(2,6-dichlorphenoxypropionsyre)), 2,6-dichlorprop | <0.010 | µg/l | AK78 - LC/MS/MS | |
| 2,6-dichlorbenzoesyre | <0.010 | µg/l | AK78 - LC/MS/MS | |
| 4-CPP, (4-Chlorprop) | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Aminomethylphosphonsyre, AMPA | <0.010 | µg/l | AK144 - LC/MS/MS | |
| Atrazin | <0.010 | µg/l | AK78 - LC/MS/MS | |
| 2,6-Dichlorbenzamid (BAM) | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Bentazon | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Desphenyl-chloridazon | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Imazalil | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Methyl-desphenyl-chloridazon | <0.010 | µg/l | AK78 - LC/MS/MS | |
| 4-nitrophenol | <0.010 | µg/l | AK78 - LC/MS/MS | |
| 2,4-dichlorphenol | <0.010 | µg/l | AK158 - GC/MS | |
| Desethylatrazin | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Desethyldeisopropylatrazin (DEIA) | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Desethyl-hydroxy-atrazin | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Desethylterbutylazin | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Desisopropylatrazin | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Desisopropyl-hydroxy-atrazin | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Dichlobenil | <0.010 | µg/l | AK78 - GC/MS | |
| Dichlorprop(2,4-DP) | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Didealkyl-hydroxy-atrazin | <0.010 | µg/l | AK78 - LC/MS/MS | |
| ETU (Ethylenthiourea) | 0.011 | µg/l | AK78 - LC/MS/MS | |
| Glyphosat | <0.010 | µg/l | AK144 - LC/MS/MS | |
| Hexazinon | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Hydroxyatrazin | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Hydroxysimazin | <0.010 | µg/l | AK78 - LC/MS/MS | |
| MCPA | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Mechlorprop(MCPP) | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Metamitron-desamino | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Simazin | <0.010 | µg/l | AK78 - LC/MS/MS | |
| TFMP | <0.010 | µg/l | AK78 - LC/MS/MS | |
| N,N-Dimethylsulfamid (DMS) | <0.010 | µg/l | AK207 - LC/MS/MS | |
| Chlorothalonilamid-sulfonsyre (R417888) | <0.0050 | µg/l | AK78 - LC/MS/MS | |
| Pesticider, DRV BEK 972:2022 | | - | - - LC/MS/MS | |
| Alachlor ESA | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Dimethachlor ESA | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Dimethachlor OA (CGA 50266) | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Metazachlor ESA | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Metazachlor OA | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Propachlor ESA | <0.010 | µg/l | AK78 - LC/MS/MS | |
| t-Sulfinyleddikesyre (Acetochlor SAA) | <0.010 | µg/l | AK78 - LC/MS/MS | |
| CGA 369873 (Dimethachlor metab.) | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Metaldehyd | <0.010 | µg/l | AK78 - LC/MS/MS | |
| [(2,6-Dimethylphenyl)(2-sulfoacetyl)amino]eddikesyre | <0.010 | µg/l | AK78 - LC/MS/MS | |
| Monuron | <0.010 | µg/l | AK78 - LC/MS/MS | |

side 2 af 6

Laboratoriet er akkrediteret af DANAK. Analyseresultaterne gælder kun for de(n) analyserede prøve(r).
Analyserapporten må kun gengives i sin helhed, med mindre skriftlig godkendelse foreligger
Oplysninger om målesikkerhed findes på www.alsglobal.dk

Tegnforklaring:
#: Ikke akkrediteret i.p.: Ikke påvist
<: mindre end >: Større end



ALS Denmark A/S
Bakkegårdsvej 406 A
DK-3050 Humlebæk
Telefon: +45 4925 0770
www.alsglobal.dk

ANALYSERAPPORT

| Prøvenr.: | 244459/22 | | |
|---|-----------|--------|-------------------------------------|
| Parameter | Resultat | Enhed | Metode |
| PFAS-forbindelser, Vandforsyning | | | |
| PFOS, Perfluoroctansulfonsyre | *1 | <0.10 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFBA, Perfluorbutansyre | *1 | <2.0 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFPeA, Perfluorpentansyre | *1 | <0.90 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFHxA, Perfluorhexansyre | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFHpA, Perfluorheptansyre | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFDA, Perfluordecansyre | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFBS, Perfluorbutansulfonsyre | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| 6:2 FTS, 1H,1H,2H,2H-Perfluoroctansulfonsyre | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFOSA, Perfluoroctansulfonamid | *1 | <0.30 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFOA, Perfluoroctansyre | *1 | <0.10 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFNA, Perfluorononansyre | *1 | <0.10 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| PFHxS, Perfluorhexansulfonsyre | *1 | <0.10 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| Sum af PFOA, PFOS, PFNA, PFHxS | *2 | <0.20 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| Sum af PFAS, 12 stoffer | *2 | <2.6 | ng/l US EPA 537, CSN P CEN/TS 15968 |
| 4-Bis-amido-3,5,6-trichlorobenzenesulfonat (R471811) (Nedbr. af Chlorothalonil) | # | <0.010 | µg/l AK78 - LC/MS/MS |
| 6-(tert-Butylamino)-1,3,5-triazine-2,4-diol (CGA324007, LM5, nedbr. af Terbutylazin) | # | <0.010 | µg/l AK78 - LC/MS/MS |
| 4-(tert-Butylamino)-6-hydroxy-1-methyl-1,3,5-triazin-2(1H)-one (SYN545666, LM6, nedbr. af Terbutylazin) | # | <0.010 | µg/l AK78 - LC/MS/MS |

Kommentar

Ingen kommentar

Underleverandør

- *1 ALS Czech Republic s.r.o, CAI L1163
- *2 # ALS Czech Republic s.r.o, CAI L1163

Sofie Askjær Hass

Kopimodtagere:

Halsnæs Kommune, Rådhuspladsen 1, 3300 Frederiksværk